



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

**"TOMORROWS ANALYTICAL SOLUTIONS TODAY"**

## Laboratory Report

NYSDOH ELAP# 11693  
USEPA# NY01273  
CTDOH# PH-0284  
AIHA# 164456  
NJDEP# NY012  
PADEP# 68-2943

LIAL# 9081905

August 29, 2019

MPCC Corp  
Fred Lalezarian  
81 Rockdale Avenue  
New Rochelle, NY 10801

**Re: PS 169 Queens**

Dear Fred Lalezarian,

Enclosed please find the laboratory Analysis Report(s) for sample(s) received on August 19, 2019. Long Island Analytical laboratories analyzed the samples on August 29, 2019 for the following:

SAMPLE ID	ANALYSIS
Excavated Soil From Front of the Building	EPH 8015 D, TAL Target Analyte List, TCL Target Compound List, TCLP (8) Metals

Samples received at 1.5 ° C

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted. Report shall not be reproduced except in full without the written approval of the laboratory. Results related only to items tested. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

**Long Island Analytical Laboratories, Inc.**

**Michael Veraldi - Laboratory Director**

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

### Volatiles Low Level Analysis

Parameter	CAS No.	LOQ	Result	Units	Flag
1,1,1-Trichloroethane	71-55-6	5.38	<5.38	ug/kg dry	
1,1,2,2-Tetrachloroethane	79-34-5	5.38	<5.38	ug/kg dry	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	5.38	<5.38	ug/kg dry	4.K, 4.M
1,1,2-Trichloroethane	79-00-5	5.38	<5.38	ug/kg dry	
1,1-Dichloroethane	75-34-3	5.38	<5.38	ug/kg dry	
1,1-Dichloroethene	75-35-4	5.38	<5.38	ug/kg dry	
1,2,3-Trichlorobenzene	87-61-6	5.38	<5.38	ug/kg dry	4.N
1,2,4-Trichlorobenzene	120-82-1	5.38	<5.38	ug/kg dry	4.N
1,2-Dibromo-3-chloropropane	96-12-8	5.38	<5.38	ug/kg dry	
1,2-Dibromoethane	106-93-4	5.38	<5.38	ug/kg dry	
1,2-Dichlorobenzene	95-50-1	5.38	<5.38	ug/kg dry	
1,2-Dichloroethane	107-06-2	5.38	<5.38	ug/kg dry	
1,2-Dichloropropane	78-87-5	5.38	<5.38	ug/kg dry	
1,3-Dichlorobenzene	541-73-1	5.38	<5.38	ug/kg dry	
1,4-Dichlorobenzene	106-46-7	5.38	<5.38	ug/kg dry	
1,4-Dioxane	123-91-1	26.9	<26.9	ug/kg dry	4.N
4-Methyl-2-Pentanone	108-10-1	10.8	<10.8	ug/kg dry	4.J, 4.N
Acetone	67-64-1	21.5	<21.5	ug/kg dry	4.K, 4.M
Acrolein	107-02-8	10.8	<10.8	ug/kg dry	
Acrylonitrile	107-13-1	10.8	<10.8	ug/kg dry	
Benzene	71-43-2	5.38	<5.38	ug/kg dry	
Bromochloromethane	74-97-5	5.38	<5.38	ug/kg dry	
Bromodichloromethane	75-27-4	5.38	<5.38	ug/kg dry	
Bromoform	75-25-2	5.38	<5.38	ug/kg dry	
Bromomethane	74-83-9	5.38	<5.38	ug/kg dry	
Carbon disulfide	75-15-0	5.38	<5.38	ug/kg dry	
Carbon Tetrachloride	56-23-5	5.38	<5.38	ug/kg dry	
Chlorobenzene	108-90-7	5.38	<5.38	ug/kg dry	
Chloroethane	75-00-3	5.38	<5.38	ug/kg dry	4.J, 4.N
Chloroform	67-66-3	5.38	<5.38	ug/kg dry	

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

Parameter	CAS No.	LOQ	Result	Units	Flag
Chloromethane	74-87-3	5.38	<5.38	ug/kg dry	
cis-1,2-Dichloroethene	156-59-2	5.38	<5.38	ug/kg dry	
cis-1,3-Dichloropropene	10061-01-5	10.8	<10.8	ug/kg dry	
Dibromochloromethane	124-48-1	5.38	<5.38	ug/kg dry	
Dichlorodifluoromethane	75-71-8	5.38	<5.38	ug/kg dry	
Ethylbenzene	100-41-4	5.38	<5.38	ug/kg dry	
Isopropylbenzene (Cumene)	98-82-8	5.38	<5.38	ug/kg dry	
m,p-Xylenes	108-38-3/106-42-3	10.8	<10.8	ug/kg dry	
Methyl Acetate	79-20-9	5.38	<5.38	ug/kg dry	4.M
Methyl Butyl Ketone (2-Hexanone)	591-78-6	10.8	<10.8	ug/kg dry	4.N
Methyl Ethyl Ketone (2-Butanone)	78-93-3	10.8	<10.8	ug/kg dry	
Methylene Chloride	75-09-2	5.38	<5.38	ug/kg dry	4.K, 4.M
Methyl-tert-Butyl Ether	1634-04-4	5.38	<5.38	ug/kg dry	
o-Xylene	95-47-6	5.38	<5.38	ug/kg dry	
Styrene	100-42-5	5.38	<5.38	ug/kg dry	
tert-Butyl alcohol	75-65-0	10.8	<10.8	ug/kg dry	4.M
Tetrachloroethene	127-18-4	5.38	<5.38	ug/kg dry	
Toluene	108-88-3	5.38	<5.38	ug/kg dry	
trans-1,2-Dichloroethene	156-60-5	5.38	<5.38	ug/kg dry	
trans-1,3-Dichloropropene	10061-02-6	5.38	<5.38	ug/kg dry	
Trichloroethene	79-01-6	5.38	<5.38	ug/kg dry	
Trichlorofluoromethane	75-69-4	5.38	<5.38	ug/kg dry	4.K, 4.M
Vinyl chloride	75-01-4	5.38	<5.38	ug/kg dry	

Surrogate	CAS No.	% Recovery	Rec. Limits	Flag
1,2-Dichloroethane-d4	10706-07-0	119	74.4-131	
4-Bromofluorobenzene	460-00-4	99	82.3-134	
Dibromofluoromethane	1868-53-7	105	79.4-122	
Toluene-d8	2037-26-5	96	85-123	

Internal Standard	CAS No.	% Recovery	Rec. Limits	Flag
1,4-Dichlorobenzene-d4	3855-82-1	76	50-200	

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

Internal Standard	CAS No.	% Recovery	Rec. Limits	Flag
1,4-Difluorobenzene	540-36-3	94	50-200	
Chlorobenzene-d5	3114-55-4	90	50-200	
Pentafluorobenzene	363-72-4	97	50-200	

Date Prepared: 08/19/2019

Preparation Method: EPA 5035A-L

Date Analyzed: 08/19/2019

Analytical Method: EPA 8260 C

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

## Semivolatile Analysis

Parameter	CAS No.	LOQ	Result	Units	Flag
2,2'-Oxybis(1-Chloropropane)	108-60-1	162	<162	ug/kg dry	
2,4,5-Trichlorophenol	95-95-4	162	<162	ug/kg dry	4.N
2,4,6-Trichlorophenol	88-06-2	162	<162	ug/kg dry	
2,4-Dichlorophenol	120-83-2	162	<162	ug/kg dry	
2,4-Dimethylphenol	105-67-9	162	<162	ug/kg dry	
2,4-Dinitrophenol	51-28-5	361	<361	ug/kg dry	
2,4-Dinitrotoluene	121-14-2	162	<162	ug/kg dry	4.N
2,6-Dinitrotoluene	606-20-2	162	<162	ug/kg dry	4.N
2-Chloronaphthalene	91-58-7	162	<162	ug/kg dry	4.N
2-Chlorophenol	95-57-8	162	<162	ug/kg dry	
2-Methylnaphthalene	91-57-6	162	<162	ug/kg dry	
2-Methylphenol	95-48-7	325	<325	ug/kg dry	
2-Nitroaniline	88-74-4	162	<162	ug/kg dry	4.N
2-Nitrophenol	88-75-5	162	<162	ug/kg dry	
3,3'-Dichlorobenzidine	91-94-1	325	<325	ug/kg dry	
3/4-Methylphenol	108-39-4/106-44-5	162	<162	ug/kg dry	
3-Nitroaniline	99-09-2	162	<162	ug/kg dry	
4,6-Dinitro-2-methylphenol	534-52-1	162	<162	ug/kg dry	
4-Bromophenyl phenyl ether	101-55-3	162	<162	ug/kg dry	
4-Chloro-3-methylphenol	59-50-7	162	<162	ug/kg dry	4.N
4-Chloroaniline	106-47-8	162	<162	ug/kg dry	
4-Chlorophenyl phenyl ether	7005-72-3	162	<162	ug/kg dry	
4-Nitroaniline	100-01-6	162	<162	ug/kg dry	4.N
4-Nitrophenol	100-02-7	162	<162	ug/kg dry	
Acenaphthene	83-32-9	162	<162	ug/kg dry	
Acenaphthylene	208-96-8	162	<162	ug/kg dry	
Anthracene	120-12-7	162	<162	ug/kg dry	
Benzidine	92-87-5	325	<325	ug/kg dry	4.J
Benzo(a)anthracene	56-55-3	162	165	ug/kg dry	
Benzo(a)pyrene	50-32-8	162	172	ug/kg dry	

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

Parameter	CAS No.	LOQ	Result	Units	Flag
Benzo(b)fluoranthene	205-99-2	325	<325	ug/kg dry	
Benzo(g,h,i)perylene	191-24-2	162	<162	ug/kg dry	
Benzo(k)fluoranthene	207-08-9	162	<162	ug/kg dry	
bis(2-Chloroethoxy)methane	111-91-1	162	<162	ug/kg dry	
Bis(2-Chloroethyl)ether	111-44-4	162	<162	ug/kg dry	
Bis(2-Ethylhexyl)phthalate	117-81-7	162	<162	ug/kg dry	
Butyl benzyl phthalate	85-68-7	162	<162	ug/kg dry	
Carbazole	86-74-8	162	<162	ug/kg dry	
Chrysene	218-01-9	162	182	ug/kg dry	
Dibenzo(a,h)anthracene	53-70-3	162	<162	ug/kg dry	
Dibenzofuran	132-64-9	162	<162	ug/kg dry	
Diethyl phthalate	84-66-2	162	<162	ug/kg dry	
Dimethyl phthalate	131-11-3	162	<162	ug/kg dry	4.N
Di-n-butyl phthalate	84-74-2	325	<325	ug/kg dry	
Di-n-octyl phthalate	117-84-0	162	<162	ug/kg dry	
Fluoranthene	206-44-0	162	384	ug/kg dry	
Fluorene	86-73-7	162	<162	ug/kg dry	
Hexachlorobenzene	118-74-1	162	<162	ug/kg dry	
Hexachlorobutadiene	87-68-3	162	<162	ug/kg dry	
Hexachlorocyclopentadiene	77-47-4	325	<325	ug/kg dry	
Hexachloroethane	67-72-1	162	<162	ug/kg dry	
Indeno(1,2,3-cd)pyrene	193-39-5	162	<162	ug/kg dry	
Isophorone	78-59-1	325	<325	ug/kg dry	
Naphthalene	91-20-3	162	<162	ug/kg dry	
Nitrobenzene	98-95-3	162	<162	ug/kg dry	
N-Nitrosodimethylamine	62-75-9	162	<162	ug/kg dry	
N-Nitroso-di-n-propylamine	621-64-7	162	<162	ug/kg dry	
N-Nitrosodiphenylamine	86-30-6	162	<162	ug/kg dry	
Pentachlorophenol	87-86-5	162	<162	ug/kg dry	4.N

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

Parameter	CAS No.	LOQ	Result	Units	Flag
Phenanthrene	85-01-8	162	273	ug/kg dry	
Phenol	108-95-2	162	<162	ug/kg dry	
Pyrene	129-00-0	162	317	ug/kg dry	

Surrogate	CAS No.	% Recovery	Rec. Limits	Flag
2,4,6-Tribromophenol	118-79-6	38	18.04-120.2	
2-Fluorobiphenyl	321-60-8	44	34.39-110.73	
2-Fluorophenol	367-12-4	46	22.98-107.57	
Nitrobenzene-d5	4165-60-0	45	31-118.25	
Phenol-d6	13127-88-3	47	35.55-111.39	
Terphenyl-d14	1718-51-0	49	41.02-106	

Internal Standard	CAS No.	% Recovery	Rec. Limits	Flag
1,4-Dichlorobenzene-d4	3855-82-1	80	50-200	
Acenaphthene-d10	15067-26-2	78	50-200	
Chrysene-d12	1719-03-5	71	50-200	
Naphthalene-d8	1146-65-2	80	50-200	
Perylene-d12	1520-96-3	73	50-200	
Phenanthrene-d10	1517-22-2	79	50-200	

Date Prepared: 08/26/2019

Preparation Method: EPA 3545 A

Date Analyzed: 08/27/2019

Analytical Method: EPA 8270 D

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

### Additional Semivolatile Analysis

Parameter	CAS No.	LOQ	Result	Units	Flag
1,1-Biphenyl	92-52-4	162	<162	ug/kg dry	
1,2-Diphenylhydrazine/Azobenzene	122-66-7/103-33-3	162	<162	ug/kg dry	4.M
Acetophenone	989-86-2	162	<162	ug/kg dry	
Atrazine	1912-24-9	162	<162	ug/kg dry	
Benzaldehyde	100-52-7	162	<162	ug/kg dry	4.K
Caprolactam	105-60-2	162	<162	ug/kg dry	

Surrogate	CAS No.	% Recovery	Rec. Limits	Flag
2,4,6-Tribromophenol	118-79-6	38	18.04-120.2	
2-Fluorobiphenyl	321-60-8	44	34.39-110.73	
2-Fluorophenol	367-12-4	46	22.98-107.57	
Nitrobenzene-d5	4165-60-0	45	31-118.25	
Phenol-d6	13127-88-3	47	35.55-111.39	
Terphenyl-d14	1718-51-0	49	41.02-106	

Internal Standard	CAS No.	% Recovery	Rec. Limits	Flag
1,4-Dichlorobenzene-d4	3855-82-1	80	50-200	
Acenaphthene-d10	15067-26-2	78	50-200	
Naphthalene-d8	1146-65-2	80	50-200	
Phenanthrene-d10	1517-22-2	79	50-200	

Date Prepared: 08/26/2019

Preparation Method: EPA 3545 A

Date Analyzed: 08/27/2019

Analytical Method: EPA 8270 D



Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

## Pesticides Analysis

Parameter	CAS No.	LOQ	Result	Units	Flag
4,4'-DDD	72-54-8	2.16	<2.16	ug/kg dry	4.M
4,4'-DDE	72-55-9	2.16	<2.16	ug/kg dry	4.M
4,4'-DDT	50-29-3	2.16	3.40	ug/kg dry	4.M
Aldrin	309-00-2	2.16	<2.16	ug/kg dry	4.M
alpha-BHC	319-84-6	5.41	<5.41	ug/kg dry	4.M
beta-BHC	319-85-7	5.41	<5.41	ug/kg dry	4.M
cis-Chlordane	5103-71-9	5.41	14.7	ug/kg dry	4.M
delta-BHC	319-86-8	5.41	<5.41	ug/kg dry	4.M
Dieldrin	60-57-1	2.16	7.12	ug/kg dry	4.M
Endosulfan I	959-98-8	5.41	<5.41	ug/kg dry	4.M
Endosulfan II	33213-65-9	5.41	<5.41	ug/kg dry	4.M
Endosulfan Sulfate	1031-07-8	5.41	<5.41	ug/kg dry	4.M
Endrin	72-20-8	5.41	<5.41	ug/kg dry	4.M
Endrin Aldehyde	7421-93-4	5.41	<5.41	ug/kg dry	4.M
Endrin Ketone	53494-70-5	5.41	<5.41	ug/kg dry	4.M
gamma-BHC	58-89-9	5.41	<5.41	ug/kg dry	4.M
Heptachlor	76-44-8	5.41	<5.41	ug/kg dry	4.M
Heptachlor Epoxide	1024-57-3	5.41	<5.41	ug/kg dry	4.M
Methoxychlor	72-43-5	5.41	<5.41	ug/kg dry	4.M
Mirex	2385-85-5	5.41	<5.41	ug/kg dry	4.M
Mirex (2C)	2385-85-5	5.41	<5.41	ug/kg dry	4.M
Toxaphene	8001-35-2	108	<108	ug/kg dry	
trans-Chlordane	5103-74-2	5.41	21.2	ug/kg dry	4.M

Surrogate	CAS No.	% Recovery	Rec. Limits	Flag
Decachlorobiphenyl	2051-24-3	135	50.4-127	4.E
Tetrachloro-m-xylene	877-09-8	130	57.5-127	4.E

Internal Standard	CAS No.	% Recovery	Rec. Limits	Flag
1-Bromo-2-Nitrobenzene	108-31-6	122	50-200	

Date Prepared: 08/21/2019

Preparation Method: EPA 3545 A

Date Analyzed: 08/28/2019

Analytical Method: EPA 8081 B

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

**PCB/Aroclor Analysis**

Parameter	CAS No.	LOQ	Result	Units	Flag
Aroclor-1016	12674-11-2	10.8	<10.8	ug/kg dry	
Aroclor-1221	11104-28-2	10.8	<10.8	ug/kg dry	
Aroclor-1232	11141-16-5	10.8	<10.8	ug/kg dry	
Aroclor-1242	53469-21-9	10.8	<10.8	ug/kg dry	
Aroclor-1248	12672-29-6	10.8	<10.8	ug/kg dry	
Aroclor-1254	11097-69-1	10.8	<10.8	ug/kg dry	
Aroclor-1260	11096-82-5	10.8	<10.8	ug/kg dry	
Aroclor-1262	37324-23-5	10.8	<10.8	ug/kg dry	
Aroclor-1268	11100-14-4	10.8	<10.8	ug/kg dry	

Surrogate	CAS No.	% Recovery	Rec. Limits	Flag
Decachlorobiphenyl	2051-24-3	84	32.5-149	
Tetrachloro-m-xylene	877-09-8	98	58.7-131	

Internal Standard	CAS No.	% Recovery	Rec. Limits	Flag
1-Bromo-2-Nitrobenzene	108-31-6	103	50-200	

Date Prepared: 08/21/2019

Preparation Method: EPA 3545 A

Date Analyzed: 08/27/2019

Analytical Method: EPA 8082 A

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

### Total Metals Analysis

Parameter	Date Analyzed	Method	LOQ	Result	Units	Flag
Arsenic	08/28/2019	EPA 6010 D	1.77	4.54	mg/kg dry	
Barium	08/28/2019	EPA 6010 D	1.77	68.2	mg/kg dry	
Beryllium	08/28/2019	EPA 6010 D	1.77	1.83	mg/kg dry	
Cadmium	08/28/2019	EPA 6010 D	1.77	<1.77	mg/kg dry	
Calcium	08/28/2019	EPA 6010 D	42.4	6680	mg/kg dry	
Chromium	08/28/2019	EPA 6010 D	1.77	20.7	mg/kg dry	
Cobalt	08/28/2019	EPA 6010 D	1.77	6.38	mg/kg dry	
Copper	08/28/2019	EPA 6010 D	1.77	135	mg/kg dry	
Iron	08/28/2019	EPA 6010 D	212	15600	mg/kg dry	4.M, 3.E
Lead	08/28/2019	EPA 6010 D	1.77	90.6	mg/kg dry	
Magnesium	08/28/2019	EPA 6010 D	21.2	2650	mg/kg dry	
Manganese	08/28/2019	EPA 6010 D	1.77	319	mg/kg dry	
Nickel	08/28/2019	EPA 6010 D	1.77	20.8	mg/kg dry	
Potassium	08/28/2019	EPA 6010 D	21.2	714	mg/kg dry	
Selenium	08/28/2019	EPA 6010 D	3.53	<3.53	mg/kg dry	
Silver	08/28/2019	EPA 6010 D	0.44	<0.44	mg/kg dry	
Sodium	08/28/2019	EPA 6010 D	42.4	263	mg/kg dry	
Thallium	08/28/2019	EPA 6010 D	1.77	<1.77	mg/kg dry	
Vanadium	08/28/2019	EPA 6010 D	1.77	17.5	mg/kg dry	
Zinc	08/28/2019	EPA 6010 D	17.7	1200	mg/kg dry	4.C, 3.E

Date Prepared: 08/26/2019

Preparation Method: EPA 3050B

Parameter	Date Analyzed	Method	LOQ	Result	Units	Flag
Aluminum	08/28/2019	EPA 6010D	212	8310	mg/kg dry	3.E
Antimony	08/28/2019	EPA 6010D	1.77	<1.77	mg/kg dry	

Date Prepared: 08/26/2019

Preparation Method: EPA 3050B

Parameter	Date Analyzed	Method	LOQ	Result	Units	Flag
Mercury	08/29/2019	EPA 7471 B	0.02	<0.02	mg/kg dry	

Date Prepared: 08/27/2019

Preparation Method: EPA 7471 B

Parameter	Date Analyzed	Method	LOQ	Result	Units	Flag
Cyanide	08/21/2019	EPA 9014	0.22	<0.22	mg/kg dry	

Date Prepared: 08/19/2019

Preparation Method: Distillation Prep

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

### Metals by EPA 1311 TCLP Analysis

Parameter	Date Analyzed	Method	LOQ	Result	Units	Flag
Arsenic	08/28/2019	EPA 200.7, Rev. 4.4(1994)	0.05	<0.05	mg/L	4.J
Barium	08/28/2019	EPA 200.7, Rev. 4.4(1994)	1.00	<1.00	mg/L	
Cadmium	08/28/2019	EPA 200.7, Rev. 4.4(1994)	0.05	<0.05	mg/L	
Chromium	08/28/2019	EPA 200.7, Rev. 4.4(1994)	0.05	<0.05	mg/L	
Lead	08/28/2019	EPA 200.7, Rev. 4.4(1994)	0.05	<0.05	mg/L	
Selenium	08/28/2019	EPA 200.7, Rev. 4.4(1994)	0.05	<0.05	mg/L	
Silver	08/28/2019	EPA 200.7, Rev. 4.4(1994)	0.05	<0.05	mg/L	

Date Leached: 08/21/2019

Leach Batch: B934115

Leach Method: EPA 1311 Fluid #1

Date Prepared: 08/23/2019

Preparation Method: EPA 200.2

Parameter	Date Analyzed	Method	LOQ	Result	Units	Flag
Mercury	08/29/2019	EPA 245.1	0.02	<0.02	mg/L	

Date Leached: 08/21/2019

Leach Batch: B934115

Leach Method: EPA 1311 Fluid #1

Date Prepared: 08/23/2019

Preparation Method: EPA 245.1

Client: MPCC Corp	Client ID: PS 169 Queens
Date (Time) Collected: 08/16/2019 09:30	Sample ID: Excavated Soil From Front of the Building
Date (Time) Received: 08/19/2019 12:25	Laboratory ID: 9081905-01 % Solid:92.43
Matrix: Soil	ELAP: #11693

**Extractable Petroleum Hydrocarbons**

Parameter	CAS No.	LOQ	Result	Units	Flag
Extractable Petroleum Hydrocarbons	8006-61-9/68334-30-5	81.1	<81.1	mg/kg dry	

Date Prepared: 08/28/2019

Preparation Method: [CALC]

Date Analyzed: 08/29/2019

Analytical Method: EPA 8015 C

Parameter	CAS No.	LOQ	Result	Units	Flag
Diesel Range Organics (C10-C28)	68334-30-5	54.1	<54.1	mg/kg dry	4.G

Surrogate	CAS No.	% Recovery	Rec. Limits	Flag
p-Terphenyl-d14	1718-51-0	60	45.8-130	

Date Prepared: 08/23/2019

Preparation Method: EPA 3545 A

Date Analyzed: 08/26/2019

Analytical Method: EPA 8015 D DRO

Parameter	CAS No.	LOQ	Result	Units	Flag
Gasoline Range Organics(C6-C10)	8006-61-9	27.0	<27.0	mg/kg dry	

Date Prepared: 08/28/2019

Preparation Method: EPA 5035 A

Date Analyzed: 08/29/2019

Analytical Method: EPA 8015 D GRO

**Data Qualifiers Key Reference:**

- 3.E Compound reported at a dilution factor.
- 4.C Target compound found in blank.
- 4.E Surrogate recovery has failed high.
- 4.G Spike recovery out of range due to matrix interference.
- 4.J Continuing Calibration Verification (CCV) quality control levels failed low, values are considered to be estimated.
- 4.K Continuing Calibration Verification (CCV) quality control levels failed high, values are considered to be estimated.
- 4.M LCS recovery was above QC acceptance limit.
- 4.N LCS recovery was below QC acceptance limit.
- MDL Minimum Detection Limit
- LOQ Limit of Quantitation



"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <b>MPCC cOrp</b>	CONTACT: Fred Lalezarian PHONE: 914-636-0000 FAX: 914-636-0019	SAMPLER (SIGNATURE)  DATE: 8-16-19 TIME:	SAMPLE(S) SEALED <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO	<b>9081905</b>
PROJECT LOCATION: <b>2</b>	SAMPLER NAME (PRINT) <b>Greg Tricarico</b>	DATE: 8.16.2019 TIME: 9:30 Am	CORRECT CONTAINER(S) <input checked="" type="checkbox"/> YES / <input type="checkbox"/> NO	

TERMS & CONDITIONS: Accounts are payable in full within thirty days, outstanding balances accrue service charges of 1.5% per month. Tending of samples to LIAL for analytical testing constitutes agreement by buyer/sampler to LIAL's Standard terms

LABORATORY ID # <small>For Laboratory Use Only</small>	MATRIX	TYPE	PH	RES. CHLORINE	PRES.	DATE	TIME	SAMPLE # LOCATION	ANALYSIS REQUIRED	TAL/TCL +30	TCLP Metals	EPH	# OF CONTAINERS
1. 908190501	S	C				8.16.2019	9:30 Am	Excavated soil from Alley way for trench and footing	1.5 °C	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3
2.													
3.													
4.													
5.													
6.													
7.													
8.													
9.													
10.													
11.													
12.													
13.													
14.													

MATRIX: S=SOIL; SL=SLUDGE; DW=DRINKING WATER; A=AIR; W=WIPE; PC=PAINT CHIPS; BM= BULK MATERIAL, O=OIL, WW=WASTE WATER TYPE: G=GRAB; C=COMPOSITE; SS=SPLIT SPOON PRES: (1) ICE; (2) HCL; (3) H <sub>2</sub> SO <sub>4</sub> ; (4) NAOH; (5) NA <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ; (6) HNO <sub>3</sub> ; (7) OTHER	TURNAROUND REQUIRED: <input checked="" type="checkbox"/> NORMAL <input type="checkbox"/> STAT BY / /	COMMENTS / INSTRUCTIONS
--	--	-------------------------

RELINQUISHED BY (SIGNATURE) 	DATE 8/19/19	PRINTED NAME Vincent Losito	RECEIVED BY (SIGNATURE) 	DATE 8-19-19	PRINTED NAME Ben Lamberson
RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY SAMPLE CUSTODIAN 	DATE 8-19-19	PRINTED NAME
	TIME 8:00am			TIME 8:03	
				TIME 12:57	